Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 9 (replaces version 8)

Revision: 23.01.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking
• 1.1 Product identifier
• Trade name: Impralan-Decklack D100 RAL 9010 (2021)
 Article number: W711611 (2021) 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Coating
 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: RÜTGERS Organics GmbH Oppauer Straße 43 D-68305 Mannheim Tel.: **49-621-76540 US: 1-980-253-8880 Fax : **49-621-7654446 e-mail: SDB.rog@ruetgers-organics.de
 Informing department: see: Heading 16 (Contact) 1.4 Emergency telephone number: see: Manufacturer/Supplier
SECTION 2: Hazards identification
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation.
 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void Hazard statements Void Additional information: Contains 1,2-Benzisothiazol-3(2H)-on, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction. Safety data sheet available on request. Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.
SECTION 3: Composition/information on ingredients
 • 3.2 Mixtures • Description: Mixture consisting of the following components.
Dangerous components:
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 (Contd. on page 2)
(Contd. on page 2) G

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 9 (replaces version 8)

Revision: 23.01.2024

Trade name: Impralan-Decklack D100 RAL 9010 (2021)

	(Cont	d. of page [·]
CAS: 112-34-5 EINECS: 203-961-6 Index number: 603-096-00-8	2-(2-butoxyethoxy)ethanol	<5%
CAS: 7664-41-7 EINECS: 231-635-3 Index number: 007-001-00-5	ammonia, anhydrous	<0.5%
CAS: 77-99-6 EINECS: 201-074-9	Trimethylolpropan	0-<0.5%
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6	1,2-Benzisothiazol-3(2H)-on Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic	
CAS: 55965-84-9 Index number: 613-167-00-5	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) ◆ Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	<0.01%

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- After inhalation Supply fresh air; consult doctor in case of symptoms.
- After skin contact Instantly wash with water and soap and rinse thoroughly.
- After eye contact Rinse opened eye for several minutes under running water.
- After swallowing In case of persistent symptoms consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

(Contd. on page 3)

GB

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 9 (replaces version 8)

Revision: 23.01.2024

Trade name: Impralan-Decklack D100 RAL 9010 (2021)

(Contd. of page 2)

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Dilute with much water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections
 - See Section 7 for information on safe handling
 - See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- •7.1 Precautions for safe handling No special precautions necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• 8.1 Control parameters

• Components with limit values that require monitoring at the workplace:

112-34-5 2-(2-butoxyethoxy)ethanol

WEL Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm

7664-41-7 ammonia, anhydrous

WEL Short-term value: 25 mg/m³, 35 ppm Long-term value: 18 mg/m³, 25 ppm

• Additional information: The lists that were valid during the compilation were used as basis.

• 8.2 Exposure controls

Appropriate engineering controls

Provide adequate general and local exhaust ventilation. Ensure the ventilation system is regularly maintained and tested. Good general ventilation should be adequate to control worker exposure to airborne contaminants. Observe any occupational exposure limits for the product or ingredients

- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures

Wash hands thoroughly after handling. Wash at the end of each work shift and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.

- Breathing equipment: Not required.
- Hand protection

The glove material has to be impermeable and resistant to the product.

No recommendation to the specific glove material can be given for the product. Please refer to glove manufacurer for siutability.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves Please refer to the above paragraph.
- Penetration time of glove material
- Please refer to the glove manufacturer and the information in the paragraphs above.
- Eye/face protection Safety glasses recommended during refilling.

(Contd. on page 4)

GB

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Flammable solids

Version number 9 (replaces version 8)

Revision: 23.01.2024

Trade name: Impralan-Decklack D100 RAL 9010 (2021)

(Contd. of page 3) Body protection: Protective work clothing. Wear appropriate clothing to prevent any possibility of skin contact. **SECTION 9: Physical and chemical properties** 9.1 Information on basic physical and chemical properties General Information Physical state Fluid · Colour: According to product specification • Odour: Characteristic Odour threshold: Not determined. • Melting point/freezing point: Not determined • Boiling point or initial boiling point and boiling range 100 °C (7732-18-5 water, distilled, conductivity or of similar purity) Flammability Not applicable. · Lower and upper explosion limit • Lower: Not determined. • Upper: Not determined. • Flash point: Not applicable • Decomposition temperature: Not determined. • pH at 20 °C 9.1 Viscosity: Not determined. Kinematic viscosity 3.500 mPas dynamic at 20 °C: Solubility • Water: Fully miscible Partition coefficient n-octanol/water (log value) Not determined. • Vapour pressure at 20 °C: 23 hPa (7732-18-5 water, distilled, conductivity or of similar purity) Density and/or relative density Density at 20 °C 1.19 g/cm3 Relative density Not determined. Vapour density Not determined. • 9.2 Other information • Appearance: • Form: Fluid · Important information on protection of health and environment, and on safety. · Self-inflammability: Product is not selfigniting. • Explosive properties: Product is not explosive. Solvent content: 2.5 % Organic solvents: 50.1 % • Water: Change in condition Evaporation rate Not determined. Information with regard to physical hazard classes Explosives Void Flammable gases Void Aerosols Void Oxidising gases Void Gases under pressure Void Flammable liquids Void

Void

(Contd. on page 5)

⁻ GB

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 9 (replaces version 8)

Revision: 23.01.2024

Trade name: Impralan-Decklack D100 RAL 9010 (2021)

		(Contd. of page 4)
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
 Substances and mixtures, which emit 		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
 Desensitised explosives 	Void	

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

• LD/LC50 values that are relevant for classification:

13463-67-7 titanium (dioxide
-----------------------	---------

Oral	LD50	>2,000 mg/kg (Rattus norvegicus (Ratte))
------	------	--

- Dermal LD50 >10,000 mg/kg (Rattus norvegicus (Ratte))
- Inhalative LC50/4 h >6.8 mg/l (Rattus norvegicus (Ratte))
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

(Contd. on page 6)

GB -

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 9 (replaces version 8)

Revision: 23.01.2024

(Contd. of page 5)

Trade name: Impralan-Decklack D100 RAL 9010 (2021)

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

- **SECTION 13: Disposal considerations**
- 13.1 Waste treatment methods
- Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information		
• 14.1 UN number or ID number • ADR, IMDG, IATA	Void	
 14.2 UN proper shipping name ADR, IMDG, IATA 	Void	
 14.3 Transport hazard class(es) 		
• ADR, ADN, IMDG, IATA • Class	Void	
• 14.4 Packing group • ADR, IMDG, IATA	Void	
 14.5 Environmental hazards: 	Not applicable.	
 14.6 Special precautions for user 	Not applicable.	
 14.7 Maritime transport in bulk accordi IMO instruments 	ing to Not applicable.	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Poisons Act
- Regulated explosives precursors
 None of the ingredients is listed.
 Regulated poisons
 None of the ingredients is listed.
- Reportable explosives precursors

None of the ingredients is listed.

(Contd. on page 7)

GB

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 9 (replaces version 8)

Revision: 23.01.2024

(Contd. of page 6)

Listed

Trade name: Impralan-Decklack D100 RAL 9010 (2021)

Reportable poisons

7664-41-7 ammonia, anhydrous

• Directive 2012/18/EU

• Named dangerous substances - ANNEX I None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. It is the responsibility of the user to assure himself that the information provided with this material safty data sheet is complete and applicable for his utilization of the product.

Relevant phrases

H221 Flammable gas.

- H280 Contains gas under pressure; may explode if heated.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H351 Suspected of causing cancer.
- H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.

• Department issuing data specification sheet: Product safety department, Mannheim

Contact:

RÜTGERS Organics Product Safety Tel. **49 / 621 7654 247

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Gas 2: Flammable gases - Category 2 Press. Gas (Comp.): Gases under pressure - Compressed gas Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 2: Acute toxicity - Category 2 Acute Tox. 3: Acute toxicity - Category 3 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A (Contd. on page 8)

GB

according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 9 (replaces version 8)

Revision: 23.01.2024

Trade name: Impralan-Decklack D100 RAL 9010 (2021)

Carc. 2: Carcinogenicity – Category 2 Repr. 2: Reproductive toxicity – Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 • * Data compared to the previous version altered.

GB -