Revision: 23.01.2024

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 21 (replaces version 20)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

• 1.1 Product identifier

Trade name: impralan-Additiv M

• Article number: W717001 • UFI: 2TU0-305F-D009-705H

• 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture

Formulation additive

Coating

• 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

RÜTGERS Organics GmbH

Oppauer Straße 43 D-68305 Mannheim Tel.: **49-621-76540 US: 1-980-253-8880 Fax: **49-621-7654446

e-mail: SDB.rog@ruetgers-organics.de

- Informing department: see: Heading 16 (Contact)
- 1.4 Emergency telephone number: see: Manufacturer/Supplier

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



GHS07

- Signal word Warning
- · Hazard-determining components of labelling:

2,4,7,9-Tetramethyldec-5-in-4,7-diol

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

(Contd. on page 2)

Printing date 16.04.2024 Version number 21 (replaces version 20) Revision: 23.01.2024

Trade name: impralan-Additiv M

(Contd. of page 1)

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- **Description:** Mixture consisting of the following components.

	Dangerous components:			
ſ	CAS: 108-01-0	2-dimethylaminoethanol	0-<2%	
	EINECS: 203-542-8	♠ Flam. Liq. 3, H226; ♠ Acute Tox. 3, H331; ♠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ♠ Acute Tox. 4, H302; Acute		
	Index number: 603-047-00-0			
		Tox. 4, H312; STOT SE 3, H335		
L		Specific concentration limit: STOT SE 3; H335: C ≥ 5 %		
	CAS: 126-86-3	2,4,7,9-Tetramethyldec-5-in-4,7-diol	0-<2%	
	EINECS: 204-809-1	Eye Dam. 1, H318; 🗘 Skin Sens. 1B, H317; Aquatic Chronic 3, H412		

[•] Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact Instantly wash with water and soap and rinse thoroughly.
- After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents

Alcohol-resistant foam

Carbon dioxide

Fire-extinguishing powder

Water spray jet

Use fire fighting measures that suit the environment.

• 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- 5.3 Advice for firefighters
- Protective equipment: Do not inhale explosion gases or combustion gases.
- Additional information

Cool endangered containers with water spray jet.

Collect contaminated fire fighting water separately. It must not enter drains.

ЗΒ

Printing date 16.04.2024 Version number 21 (replaces version 20) Revision: 23.01.2024

Trade name: impralan-Additiv M

(Contd. of page 2)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
 Wear protective equipment. Keep unprotected persons away.

• 6.2 Environmental precautions: Dilute with much water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and containers:

Keep container tightly closed in a cool and dry place.

• Information about storage in one common storage facility:

Store away from oxidising agents.

Store away from reducing agents.

- Further information about storage conditions: Protect from frost.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

108-01-0 2-dimethylaminoethanol

WEL Short-term value: 22 mg/m³, 6 ppm Long-term value: 7.4 mg/m³, 2 ppm

- Additional information: The lists that were valid during the compilation were used as basis.
- 8.2 Exposure controls
- Appropriate engineering controls

Provide adequate general and local exhaust ventilation. Ensure the ventilation system is regularly maintained and tested. Good general ventilation should be adequate to control worker exposure to airborne contaminants. Observe any occupational exposure limits for the product or ingredients

- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures

Wash hands thoroughly after handling. Wash at the end of each work shift and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.

- · Breathing equipment: Not required.
- Hand protection

Preventive skin protection by use of skin-protecting agents is recommended.

The glove material has to be impermeable and resistant to the product.

No recommendation to the specific glove material can be given for the product. Please refer to glove manufacurer for siutability.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 4)

Printing date 16.04.2024 Version number 21 (replaces version 20) Revision: 23.01.2024

Trade name: impralan-Additiv M

(Contd. of page 3)

· Material of gloves

Please refer to the above paragraph.

Not applicable

Penetration time of glove material

Please refer to the glove manufacturer and the information in the paragraphs above. Not applicable

- Eye/face protection Safety glasses recommended during refilling.
- · Body protection:

Protective work clothing. Wear appropriate clothing to prevent any possibility of skin contact.

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical properties

General Information

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:

Fluid

White
Amine-like
Not determined

Not determined

· Boiling point or initial boiling point and

boiling range >100 °C
• Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: >100 °C (DIN 51755)
Decomposition temperature: Not determined.

• pH at 20 °C 10

· Viscosity:

• Kinematic viscosity
• dynamic at 20 °C:

Not determined.
1,000 mPas

Solubility

• Water: Fully miscible

• Partition coefficient n-octanol/water (log

value) Not determined.Vapour pressure: Not determined.

Density and/or relative density

Density at 20 °C
 Relative density
 Vapour density
 1.01 g/cm³ (DIN 53217)
 Not determined.
 Not determined.

• 9.2 Other information

· Appearance:

• Form: Pasty

• Important information on protection of health and environment, and on safety.

Self-inflammability: Product is not selfigniting.
 Explosive properties: Product is not explosive.

· Change in condition

• Evaporation rate Not determined.

Information with regard to physical hazard classes

Explosives
Flammable gases
Aerosols
Oxidising gases
Gases under pressure

Void
Void

(Contd. on page 5)

Printing date 16.04.2024 Version number 21 (replaces version 20) Revision: 23.01.2024

Trade name: impralan-Additiv M

(Contd. of page 4)

• Flammable liquids	Void
Flammable solids	Void
 Self-reactive substances and mixtures 	Void
 Pyrophoric liquids 	Void
Pyrophoric solids	Void
 Self-heating substances and mixtures 	Void
 Substances and mixtures, which emit 	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
 Desensitised explosives 	Void

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions

Reacts with alcohols

Reacts with amines

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: oxydizing agents
- 10.6 Hazardous decomposition products:

Possible in traces.

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification:

108-01-0 2-dimethylaminoethanol Oral LD50 2,000 mg/kg (rat) Dermal LD50 1,370 mg/kg (rbt) Inhalative LC50/4 h 3.25 mg/l (mus)

- Skin corrosion/irritation Causes skin irritation.
- Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation May cause an allergic skin reaction.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

(Contd. on page 6)

(Contd. of page 5)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024 Version number 21 (replaces version 20) Revision: 23.01.2024

Trade name: impralan-Additiv M

12.5 Results of PBT and vPvB assessment

• PBT: Not applicable.

• vPvB: Not applicable.

• 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

At present there are no ecotoxicological assessments.

This statement was deduced from the properties of the single components.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation

Remove in accordance with the local official recommendations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- Recommended cleaning agent: Water, if necessary with cleaning agent.

• 14.1 UN number or ID number • ADR, ADN, IMDG, IATA	Void
• 14.2 UN proper shipping name • ADR, ADN, IMDG, IATA	Void
• 14.3 Transport hazard class(es)	
• ADR, ADN, IMDG, IATA • Class	Void
• 14.4 Packing group • ADR, IMDG, IATA	Void
• 14.5 Environmental hazards: • Marine pollutant:	No
• 14.6 Special precautions for user	Not applicable.
• 14.7 Maritime transport in bulk according to IMO instruments Not applicable.	
• Transport/Additional information:	Not a dangerous good in accordance with nation and international regulations.
• UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Poisons Act
- Regulated explosives precursors

 None of the ingredients is listed.

(Contd. on page 7)

Printing date 16.04.2024 Version number 21 (replaces version 20) Revision: 23.01.2024

Trade name: impralan-Additiv M

(Contd. of page 6)

Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. It is the responsibility of the user to assure himself that the information provided with this material safty data sheet is complete and applicable for his utilization of the product.

· Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Department issuing data specification sheet: Product safety department, Mannheim

Contact:

RÜTGERS Organics

Product Safety

Tel. **49 / 621 7654 247

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 3: Acute toxicity - Category 3

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation - Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

• * Data compared to the previous version altered.