Revision: 12.04.2024

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024

Version number 27 (replaces version 26)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- 1.1 Product identifier
- Trade name: profilan-lasol B 0000 farblos
- Article number: W726001 • UFI: J300-P0H0-400C-GTXF
- 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- Application of the substance / the mixture Coating
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: RÜTGERS Organics GmbH Oppauer Straße 43

D-68305 Mannheim Tel.: **49-621-76540 US: 1-980-253-8880 Fax: **49-621-7654446

e-mail: SDB.rog@ruetgers-organics.de

• Informing department: see: Heading 16 (Contact)

• 1.4 Emergency telephone number: see: Manufacturer/Supplier

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



health hazard

H304 May be fatal if swallowed and enters airways. Asp. Tox. 1



Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Acute Tox. 4

H332 Harmful if inhaled.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms







GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labelling:

Naphtha (petroleum), hydrotreated heavy Naphtha (petroleum), hydrodesulfurized heavy xylene, mixed isomers, pure 3-lodo-2-propynylbutylcarbamate

(Contd. on page 2)

Printing date 16.04.2024 Version number 27 (replaces version 26)

Trade name: profilan-lasol B 0000 farblos

(Contd. of page 1)

Revision: 12.04.2024

· Hazard statements

H332 Harmful if inhaled.

H304 May be fatal if swallowed and enters airways. H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Additional information:

Contains 3-lodo-2-propynylbutylcarbamate. May produce an allergic reaction.

- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- **Description**: Mixture consisting of the following components.

Dangerous components:		
CAS: 64742-48-9 EINECS: 265-150-3 Index number: 649-327-00-6	Naphtha (petroleum), hydrotreated heavy	0->50%
CAS: 64742-82-1	Naphtha (petroleum), hydrodesulfurized heavy & Asp. Tox. 1, H304	10-25%
CAS: 34590-94-8 EINECS: 252-104-2	Dipropylene glycol monomethyl ether substance with a Community workplace exposure limit	0-<5%
CAS: 1330-20-7 EINECS: 215-535-7 Index number: 601-022-00-9	xylene, mixed isomers, pure Flam. Liq. 3, H226; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315	<2%
CAS: 85203-81-2 EINECS: 286-272-3	Hexanoic Acid, 2-Ethyl-, Zinc Salt, Basic ♣ Repr. 2, H361d; ♦ Eye Irrit. 2, H319; Aquatic Chronic 3, H412	0-<0.5%
CAS: 107534-96-3 ELINCS: 403-640-2 Index number: 603-197-00-7	1-(4-chlorophenyl)-4,4-dimethyl-3-(1,2,4-triazol-1-ylmethyl) pentan-3-ol Repr. 2, H361d; Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=10); Acute Tox. 4, H302	<0.5%
CAS: 55406-53-6 EINECS: 259-627-5 Index number: 616-212-00-7	3-lodo-2-propynylbutylcarbamate Acute Tox. 3, H331; STOT RE 1, H372; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Acute Tox. 4, H302; Skin Sens. 1, H317	<0.5%
CAS: 136-52-7 EINECS: 205-250-6	cobalt(II) 2-ethylhexanoate Repr. 2, H361f; Aquatic Acute 1, H400; Acute Tox. 4, H302; Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412	<0.1%
CAS: 52645-53-1 EINECS: 258-067-9 Index number: 613-058-00-2	PERMETHRIN Aquatic Acute 1, H400 (M=1000); Aquatic Chronic 1, H410 (M=1000); Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Sens. 1, H317	<0.1%

(Contd. on page 3)

Printing date 16.04.2024 Version number 27 (replaces version 26) Revision: 12.04.2024

Trade name: profilan-lasol B 0000 farblos

(Contd. of page 2)

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- After inhalation Supply fresh air; consult doctor in case of symptoms.
- After skin contact Instantly wash with water and soap and rinse thoroughly.
- After eye contact Rinse opened eye for several minutes under running water.
- After swallowing In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions:

Inform respective authorities in case product reaches water or sewage system.

- 6.3 Methods and material for containment and cleaning up:
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Ensure adequate ventilation.
- 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about protection against explosions and fires: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

GB

Printing date 16.04.2024 Version number 27 (replaces version 26)

Trade name: profilan-lasol B 0000 farblos

(Contd. of page 3)

Revision: 12.04.2024

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

· Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

34590-94-8 Dipropylene glycol monomethyl ether		
	Long-term value: 308 mg/m³, 50 ppm Sk	

1330-20-7 xylene, mixed isomers, pure

WEL Short-term value: 441 mg/m³, 100 ppm Long-term value: 220 mg/m³, 50 ppm Sk; BMGV

136-52-7 cobalt(II) 2-ethylhexanoate

WEL Long-term value: 0.1 mg/m³ as Co; Carc, Sen

· Ingredients with biological limit values:

1330-20-7 xylene, mixed isomers, pure

BMGV 650 mmol/mol creatinine Medium: urine

Sampling time: post shift
Parameter: methyl hippuric acid

- Additional information: The lists that were valid during the compilation were used as basis.
- 8.2 Exposure controls
- Appropriate engineering controls

Provide adequate general and local exhaust ventilation. Ensure the ventilation system is regularly maintained and tested. Good general ventilation should be adequate to control worker exposure to airborne contaminants. Observe any occupational exposure limits for the product or ingredients

- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

Wash hands thoroughly after handling. Wash at the end of each work shift and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.

• Breathing equipment:

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with European Standard EN14387. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.

Hand protection

Protective gloves. It is recommended that chemical-resistant, impervious gloves are worn to protect hands from chemicals. Gloves should comply with European Standard EN374.

The glove material has to be impermeable and resistant to the product.

No recommendation to the specific glove material can be given for the product. Please refer to glove manufacurer for siutability.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves Please refer to the above paragraph.
- Penetration time of glove material

Please refer to the glove manufacturer and the information in the paragraphs above.

• Eye/face protection Safety glasses recommended during refilling.

(Contd. on page 5)

(Contd. of page 4)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 16.04.2024 Version number 27 (replaces version 26) Revision: 12.04.2024

Trade name: profilan-lasol B 0000 farblos

· Body protection:

Protective work clothing. Wear appropriate clothing to prevent any possibility of skin contact.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

• Physical state Fluid

• Colour: According to product specification

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Not determined

• Boiling point or initial boiling point and

boiling range 180 °C

• Flammability Not applicable.

· Lower and upper explosion limit

Lower: 0.6 Vol %
Upper: 6 Vol %
Flash point: 63 °C
Auto-ignition temperature: >200 °C

• Decomposition temperature: Not determined.

• pH Mixture is non-soluble (in water).

Viscosity:

• Kinematic viscosity at 20 °C 42 s (ISO 3 mm) • dynamic: Not determined.

Solubility

• Water: Not miscible or difficult to mix

Partition coefficient n-octanol/water (log

value) Not determined.

• Vapour pressure at 20 °C: 0.5 hPa

Density and/or relative density

Density at 20 °C
 Relative density
 Vapour density
 O.855 g/cm³
 Not determined.
 Not determined.

• 9.2 Other information

· Appearance:

• Form: Fluid

Important information on protection of health

and environment, and on safety.

Self-inflammability: Product is not selfigniting.
 Explosive properties: Product is not explosive.

· Solvent content:

• Organic solvents: 69.3 %

Change in condition

• Evaporation rate Not determined.

Information with regard to physical hazard classes

 Explosives Void · Flammable gases Void Aerosols Void Oxidising gases Void · Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void Pyrophoric liquids Void

(Contd. on page 6)

Printing date 16.04.2024 Version number 27 (replaces version 26) Revision: 12.04.2024

Trade name: profilan-lasol B 0000 farblos

(Contd. of page 5)

		(Contd. of page 5)
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
 Substances and mixtures, which emit 		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
 Desensitised explosives 	Void	

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Harmful if inhaled.

• LD/LC50 values that are relevant for classification:				
64742-48-9 Naphtha (petroleum), hydrotreated heavy				
Oral	LD50	>5,000 mg/kg (Rattus norvegicus (Ratte))		
Dermal	LD50	>3,160 mg/kg (Oryctolagus cuniculus (eur. Kaninchen))		
Inhalative	LC50/4 h	>12 mg/l (Rattus norvegicus (Ratte))		

- Aspiration hazard May be fatal if swallowed and enters airways.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Remark: Very toxic for fish
- Additional ecological information:
- · General notes:

Water danger class 3 (German Regulation) (Self-assessment): extremely hazardous for water.

(Contd. on page 7)

Printing date 16.04.2024 Version number 27 (replaces version 26)

Trade name: profilan-lasol B 0000 farblos

(Contd. of page 6)

Revision: 12.04.2024

Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.

Danger to drinking water even if extremely small quantities leak into soil.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

SECTION 14: Transport information	n
• 14.1 UN number or ID number • ADR, IMDG, IATA	UN3082
14.2 UN proper shipping nameADR, IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PERMETHRIN)
• IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PERMETHRIN), MARINE POLLUTANT
• 14.3 Transport hazard class(es)	
• ADR, IMDG, IATA	
• Class	9 Miscellaneous dangerous substances and articles.
• Label	9
• 14.4 Packing group • ADR, IMDG, IATA	III
• 14.5 Environmental hazards:	Product contains environmentally hazardous substances: PERMETHRIN
• Marine pollutant:	Symbol (fish and tree)
 Special marking (ADR): Special marking (IATA): 	Symbol (fish and tree) Symbol (fish and tree)
• 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
 Hazard Index Number: EMS Number:	90 F-A,S-F
• 14.7 Maritime transport in bulk according IMO instruments	to Not applicable.
• Transport/Additional information:	
• ADR • Limited quantities (LQ)	5L
Emmed quantities (EQ)	(Contd. on page 8)

Printing date 16.04.2024 Version number 27 (replaces version 26) Revision: 12.04.2024

Trade name: profilan-lasol B 0000 farblos

	(Contd. of page 7)
• Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Transport categoryTunnel restriction code	3 E
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
• UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PERMETHRIN), 9, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Poisons Act
- Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

None of the ingredients is listed.

- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category E1 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. It is the responsibility of the user to assure himself that the information provided with this material safty data sheet is complete and applicable for his utilization of the product.

· Relevant phrases

- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.

(Contd. on page 9)

Printing date 16.04.2024 Version number 27 (replaces version 26)

Trade name: profilan-lasol B 0000 farblos

(Contd. of page 8)

Revision: 12.04.2024

H332 Harmful if inhaled.

H361d Suspected of damaging the unborn child.

H361f Suspected of damaging fertility.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

• Department issuing data specification sheet: Product safety department, Mannheim

· Contact:

RÜTGERS Organics

Product Safety

Tel. **49 / 621 7654 247

· Abbreviations and acronvms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Repr. 2: Reproductive toxicity – Category 2 Repr. 2: Reproductive toxicity – Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1

Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

• * Data compared to the previous version altered.